

Swan Analytical Australia Pty Ltd

Chemwatch: 15-8091 Version No: 5.1

Chemwatch Hazard Alert Code: 2

Safety Data Sheet according to Work Health and Safety Regulations (Hazardous Chemicals) 2023 and ADG requirements

Issue Date: 10/03/2023 Print Date: 21/08/2024 S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Swan Oxycon 2
Chemical Name	Not Applicable
Synonyms	Not Available
Chemical formula	Not Applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Chemical analysis of water.
--------------------------	-----------------------------

Details of the manufacturer or supplier of the safety data sheet

Registered company name	Swan Analytical Australia Pty Ltd	SWAN Analytical New Zealand Pty Ltd
Address	Unit 12 45 Leighton Place Hornsby NSW 2077 Australia	PO Box 125201 St Heliers, Auckland 1740 New Zealand
Telephone	+61 2 9482 1455	+64 (0)9 213 7191
Fax	+61 2 9482 1489	Not Available
Website	www.swan.ch	www.swan-analytical.co.nz
Email	sales@swan-analytical.com.au	sales@swan-analytical.co.nz

Emergency telephone number

Association / Organisation	Chemwatch	CHEMWATCH EMERGENCY RESPONSE (24/7)
Emergency telephone numbers	+800 2436 2255	+61 1800 951 288
Other emergency telephone numbers	+64 (0)9 213 7191	+61 3 9573 3188

Once connected and if the message is not in your preferred language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Chemwatch Hazard Ratings

	Min	Max	
Flammability	0		
Toxicity	0		0 = Minimum
Body Contact	2		1 = Low
Reactivity	0		2 = Moderate
Chronic	2		3 = High 4 = Extreme

Poisons Schedule	Not Applicable
Classification ^[1]	Skin Corrosion/Irritation Category 2, Sensitisation (Skin) Category 1, Serious Eye Damage/Eye Irritation Category 2A, Sensitisation (Respiratory) Category 1, Reproductive Toxicity Category 2
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements

Hazard pictogram(s)



Signal word	Danger
Hazard statement(s)	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H361d	Suspected of damaging the unborn child.
Precautionary statement(s) Pre	evention
P201	Obtain special instructions before use.
P261	Avoid breathing mist/vapours/spray.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
Precautionary statement(s) Res	sponse
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/ attention.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician/first aider.
P302+P352	IF ON SKIN: Wash with plenty of water.
Precautionary statement(s) Sto	rage
P405	Store locked up.
Precautionary statement(s) Dis	posal
P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
7681-11-0	15-<25	potassium iodide
866-84-2	15-<25	potassium citrate
7732-18-5	60-80	water
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

The product contains a substantial proportion of water, therefore there are no restrictions on the type of extinguishing media which may be used. Choice of extinguishing media should take into account surrounding areas.

Though the material is non-combustible, evaporation of water from the mixture, caused by the heat of nearby fire, may produce floating layers of combustible substances. In such an event consider:

foam.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.		
Advice for firefighters	Advice for firefighters		
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. 		
Fire/Explosion Hazard	 The material is not readily combustible under normal conditions. However, it will break down under fire conditions and the organic component may burn. Not considered to be a significant fire risk. Heat may cause expansion or decomposition with violent rupture of containers. Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2) hydrogen iodide metal oxides other pyrolysis products typical of burning organic material. May emit poisonous fumes. May emit corrosive fumes. 		
HAZCHEM	Not Applicable		

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling		
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT allow clothing wet with material to stay in contact with skin 	
Other information	Consider storage under inert gas.	

Conditions for safe storage, including any incompatibilities

 Glass container is suitable for laboratory quantities Polyethylene or polypropylene container. Suitable container

Check all containers are clearly labelled and free from leaks.

- Packing as recommended by manufacturer.
- Storage incompatibility None known + х + 0
- Must not be stored together Х
- 0 - May be stored together with specific preventions

- May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

SECTION 8 Exposure controls / personal protection

Control parameters

	Occupational Exposure Limits (OEL)
	INGREDIENT DATA
No	ot Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
potassium iodide	1.3 mg/m3	15 mg/m3		87 mg/m3
potassium citrate	30 mg/m3	330 mg/m3		2,000 mg/m3
potassium citrate	2.1 mg/m3	23 mg/m3		140 mg/m3
Ingredient	Original IDLH		Revised IDLH	
potassium iodide	Not Available		Not Available	
potassium citrate	Not Available		Not Available	
water	Not Available		Not Available	
Occupational Exposure Banding				
Ingredient	Occupational Exposure Band Rating		Occupational E	xposure Band Limit
potassium iodide	E		≤ 0.01 mg/m³	

Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.

Exposure controls

Notes:

Enclosed local exhaust ventilation is required at points of dust, fume or vapour generation. Appropriate engineering HEPA terminated local exhaust ventilation should be considered at point of generation of dust, fumes or vapours. controls Barrier protection or laminar flow cabinets should be considered for laboratory scale handling. A fume hood or vented balance enclosure is recommended for weighing/ transferring quantities exceeding 500 mg. Individual protection measures, such as personal protective equipment When handling very small quantities of the material eye protection may not be required. For laboratory, larger scale or bulk handling or where regular exposure in an occupational setting occurs: Eye and face protection Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Face shield. Full face shield may be required for supplementary but never for primary protection of eyes. Skin protection See Hand protection below NOTE The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application Hands/feet protection The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care. Rubber gloves (nitrile or low-protein, powder-free latex, latex/ nitrile). Employees allergic to latex gloves should use nitrile gloves in preference Double gloving should be considered PVC aloves. Body protection See Other protection below For quantities up to 500 grams a laboratory coat may be suitable. For quantities up to 1 kilogram a disposable laboratory coat or coverall of low permeability is recommended. Coveralls should be Other protection buttoned at collar and cuffs For quantities over 1 kilogram and manufacturing operations, wear disposable coverall of low permeability and disposable shoe covers.

Recommended material(s)

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the:

"Forsberg Clothing Performance Index"

The effect(s) of the following substance(s) are taken into account in the **computer**generated selection:

Swan Oxycon 2	
---------------	--

Material	CPI
BUTYL	С
NATURAL RUBBER	С
NATURAL+NEOPRENE	С
NEOPRENE	С
NITRILE	С
PVA	С
VITON	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	A-AUS / Class1	-
up to 50	1000	-	A-AUS / Class 1
up to 50	5000	Airline *	-
up to 100	5000	-	A-2
up to 100	10000	-	A-3
100+			Airline**

* - Continuous Flow ** - Continuous-flow or positive pressure demand A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC) might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

Ansell Glove Selection

Glove — In order of recommendation
AlphaTec 02-100
AlphaTec® Solvex® 37-185
AlphaTec® 38-612
AlphaTec® 58-008
AlphaTec® 58-530B
AlphaTec® 58-530W
AlphaTec® 58-735
AlphaTec® 79-700
AlphaTec® Solvex® 37-675
0ermaShield™ 73-711

The suggested gloves for use should be confirmed with the glove supplier.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Colourless liquid with no odour; mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	1.1520
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	6.4	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directive models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measure occupational setting. Not normally a hazard due to non-volatile nature of product				
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.			
Skin Contact	This material can cause inflammation of the skin on contact in some persons.			

- Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content.
- The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.
- Cartridge performance is affected by humidity. Cartridges should be changed after 2 hr of continuous use unless it is determined that the humidity is less than 75%, in which case, cartridges can be used for 4 hr. Used cartridges should be discarded daily, regardless of the length of time used

	The material may accentuate any pre-existing dermatitis condition Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.			
Eye	This material can cause eye irritation and damage in some persons.			
Chronic	Inhaling this product is more likely to cause a sensitisation reaction in some persons compared to the general population. Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population. Based on experience with animal studies, exposure to the material may result in toxic effects to the development of the foetus, at levels which do not cause significant toxic effects to the mother. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. Iodine and iodides cause goitre and diminished as well as increased activity of the thyroid gland. A toxic syndrome resulting from chronic iodide overdose and from repeated administration of small amounts of iodine is characterised by excessive saliva production, head cold, sneezing, conjunctivitis, headache, fever, laryngitis, inflammation of the bronchi and mouth cavity, inflamed parotid gland, and various skin rashes. Iodine and iodides, may give rise to local allergic reactions such as hives, rupture of skin blood vessels, pain in joints or diseases of the lymph nodes.			
	ΤΟΧΙΟΙΤΥ	IRRITATION		
Swan Oxycon 2	Not Available	Not Available		
	TOVIOTY	·		
potassium iodide	dermal (rat) LD50: >2000 mg/kgl ⁺ j	Eye: no adverse	e effect observed (not irritating) ^[1]	
	Oral (Rat) LD50: 2500 mg/kg ^[1]	Skin: no advers	e effect observed (not irritating) ^[1]	
	ΤΟΧΙΟΙΤΥ	IRRITATION		
potassium citrate	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye: no adverse	e effect observed (not irritating) ^[1]	
	Oral (Mouse) LD50; 5400 mg/kg ^[1]	Skin: no advers	e effect observed (not irritating) ^[1]	
	TOXICITY	IRRITATION		
water	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2]	IRRITATION Not Available		
water Legend:	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered Suspecified data extracted from RTECS - Register of T	IRRITATION Not Available ubstances - Acute toxicity 2. Value of Toxic Effect of chemical Substances	btained from manufacturer's SDS. Unless otherwise	
water Legend: POTASSIUM IODIDE	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered SL specified data extracted from RTECS - Register of T The following information refers to contact allergens Contact allergies quickly manifest themselves as cor contact eczema involves a cell-mediated (T lymphod urticaria, involve antibody-mediated immune reaction Allergic reactions involving the respiratory tract are unallergic potential of the allergen and period of exposs prone than others, and exposure to other irritants ma Attention should be paid to atopic diathesis, characte Exogenous allergic alveolitis is induced essentially b lymphocytes) may be involved. Such allergy is of the	IRRITATION Not Available Ibstances - Acute toxicity 2. Value of Toxic Effect of chemical Substances as a group and may not be specific intact eczema, more rarely as urticari cytes) immune reaction of the delaye ns. usually due to interactions between I ure often determine the severity of s ay aggravate symptoms. Allergy cau erised by increased susceptibility to by allergen specific immune-complex a delayed type with onset up to four I	btained from manufacturer's SDS. Unless otherwise to this product. a or Quincke's oedema. The pathogenesis of d type. Other allergic skin reactions, e.g. contact gE antibodies and allergens and occur rapidly. ymptoms. Some people may be genetically more sing activity is due to interactions with proteins. nasal inflammation, asthma and eczema. es of the IgG type; cell-mediated reactions (T nours following exposure.	
Vater Legend: POTASSIUM IODIDE POTASSIUM CITRATE	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered SL specified data extracted from RTECS - Register of T The following information refers to contact allergies quickly manifest themselves as col contact allergies quickly manifest themselves as col contact eczema involves a cell-mediated (T lymphoc urticaria, involve antibody-mediated immune reaction Allergic reactions involving the respiratory tract are u Allergic potential of the allergen and period of exposs prone than others, and exposure to other irritants ma Attention should be paid to atopic diathesis, characte Exogenous allergic alveolitis is induced essentially b lymphocytes) may be involved. Such allergy is of the For HIF ((hypoxia-inducible factor) inhibitors Considering that endothelial HIF-1alpha was shown unintended consequences for ventricular adaptation haemodynamics over a short period, but a detailed f Under normoxic conditions, HIF-1alpha and HIF-2algubiquitinated, and rapidly degraded. PHD activity be induction of HIF activity. Additionally, the observation that mice with loss of PI PHD inhibitors, which are currently in development for critic acid (and its inorganic citrate salts) Based on extensive animal testing data and on hum. cancer, birth defects or reproductive toxicity. Further,	IRRITATION Not Available Not Available Ibstances - Acute toxicity 2. Value of Toxic Effect of chemical Substances as a group and may not be specific intact eczema, more rarely as urticari cytes) immune reaction of the delaye ns. Isually due to interactions between I rure often determine the severity of s ay aggravate symptoms. Allergy cau erised by increased susceptibility to by allergen specific immune-complex a delayed type with onset up to four I to be critical for left heart adaptation in pulmonary hypertension (PH). HI functional analysis at later time point pha are hydroxylated by PHD (prolyl comes rate limited during hypoxia, a HD2 developed severe PH should ra for chronic anemia.	to this product. a or Quincke's oedema. The pathogenesis of d type. Other allergic skin reactions, e.g. contact gE antibodies and allergens and occur rapidly. ymptoms. Some people may be genetically more sing activity is due to interactions with proteins. nasal inflammation, asthma and eczema. es of the IgG type; cell-mediated reactions (T nours following exposure. to overload, systemically targeting HIFs might have F-2 inhibition appeared to improve right ventricular s would be prudent. hydroxylase domain) proteins (particularly PHD2), illowing accumulation of HIF-1alpha/2alpha and aise a cautionary flag regarding the clinical use of ute toxicity. Citric acid is not suspected of causing he sensitizing potential is considered low.	
Water Legend: POTASSIUM IODIDE POTASSIUM CITRATE POTASSIUM CITRATE & WATER	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered SL specified data extracted from RTECS - Register of T The following information refers to contact allergens Contact allergies quickly manifest themselves as col-contact allergies quickly manifest themselves as col-contact eczema involves a cell-mediated (T lymphoc urticaria, involve antibody-mediated immune reaction Allergic reactions involving the respiratory tract are u Allergic potential of the allergen and period of expos prone than others, and exposure to other irritants ma Attention should be paid to atopic diathesis, charact Exogenous allergic alveolitis is induced essentially b lymphocytes) may be involved. Such allergy is of the For HIF ((hypoxia-inducible factor) inhibitors Considering that endothelial HIF-1alpha was shown unintended consequences for ventricular adaptation haemodynamics over a short period, but a detailed f Under normoxic conditions, HIF-1alpha and HIF-2alj ubiquitinated, and rapidly degraded. PHD activity be induction of HIF activity. Additionally, the observation that mice with loss of PI PHD inhibitors, which are currently in development for citric acid (and its inorganic citrate salts) Based on extensive animal testing data and on hump cancer, birth defects or reproductive toxicity. Further, No significant acute toxicological data identified in litt	IRRITATION Not Available Instances - Acute toxicity 2. Value of Toxic Effect of chemical Substances as a group and may not be specific intact eczema, more rarely as urticari cytes) immune reaction of the delaye ns. Usually due to interactions between I ure often determine the severity of s ay aggravate symptoms. Allergy cau erised by increased susceptibility to by allergen specific immune-complex e delayed type with onset up to four I functional analysis at later time point pha are hydroxylated by PHD (prolyl iccomes rate limited during hypoxia, a HD2 developed severe PH should ra- for chronic anemia. an experience, citric acid has low aco , it does not cause mutations. Also, t	bained from manufacturer's SDS. Unless otherwise to this product. a or Quincke's oedema. The pathogenesis of d type. Other allergic skin reactions, e.g. contact gE antibodies and allergens and occur rapidly. ymptoms. Some people may be genetically more sing activity is due to interactions with proteins. nasal inflammation, asthma and eczema. es of the IgG type; cell-mediated reactions (T nours following exposure. to overload, systemically targeting HIFs might have F-2 inhibition appeared to improve right ventricular s would be prudent. hydroxylase domain) proteins (particularly PHD2), illowing accumulation of HIF-1alpha/2alpha and aise a cautionary flag regarding the clinical use of ute toxicity. Citric acid is not suspected of causing he sensitizing potential is considered low.	
Water Legend: POTASSIUM IODIDE POTASSIUM CITRATE POTASSIUM CITRATE & WATER Acute Toxicity	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered SL specified data extracted from RTECS - Register of 1 The following information refers to contact allergens Contact allergies quickly manifest themselves as concontact eczema involves a cell-mediated (T lymphod urticaria, involve antibody-mediated immune reaction Allergic reactions involving the respiratory tract are u Allergic potential of the allergen and period of exposy prone than others, and exposure to other irritants ma Attention should be paid to atopic diathesis, charact Exogenous allergic alveolitis is induced essentially b lymphocytes) may be involved. Such allergy is of the For HIF ((hypoxia-inducible factor) inhibitors Considering that endothelial HIF-1alpha was shown unintended consequences for venticular adaptation haemodynamics over a short period, but a detailed f Under normoxic conditions, HIF-1alpha and HIF-2algubiquitinated, and rapidly degraded. PHD activity be induction of HIF activity. Additionally, the observation that mice with loss of PI PHD inhibitors, which are currently in development ff For citric acid (and its inorganic citrate salts) Based on extensive animal testing data and on hum cancer, birth defects or reproductive toxicity. Further, No significant acute toxicological data identified in lit	IRRITATION Not Available Instances - Acute toxicity 2. Value of Toxic Effect of chemical Substances as a group and may not be specific intact eczema, more rarely as urticari ntact eczema, more rarely as urticari sy aggravate symptoms. Allergy cau erised by increased susceptibility to by allergen specific immune-complex a delayed type with onset up to four I to be critical for left heart adaptation in pulmonary hypertension (PH). HI functional analysis at later time point pha are hydroxylated by PHD (prolyl iccomes rate limited during hypoxia, a HD2 developed severe PH should ra- for chronic anemia. an experience, citric acid has low ace i, it does not cause mutations. Also, t terature search.	bained from manufacturer's SDS. Unless otherwise to this product. a or Quincke's oedema. The pathogenesis of d type. Other allergic skin reactions, e.g. contact gE antibodies and allergens and occur rapidly. ymptoms. Some people may be genetically more sing activity is due to interactions with proteins. nasal inflammation, asthma and eczema. es of the IgG type; cell-mediated reactions (T nours following exposure. to overload, systemically targeting HIFs might have F-2 inhibition appeared to improve right ventricular s would be prudent. hydroxylase domain) proteins (particularly PHD2), llowing accumulation of HIF-1alpha/2alpha and aise a cautionary flag regarding the clinical use of ute toxicity. Citric acid is not suspected of causing he sensitizing potential is considered low.	
water Legend: POTASSIUM IODIDE POTASSIUM CITRATE POTASSIUM CITRATE & WATER Acute Toxicity Skin Irritation/Corrosion	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered SL specified data extracted from RTECS - Register of T The following information refers to contact allergens Contact allergies quickly manifest themselves as col contact eczema involves a cell-mediated (T lymphoc urticaria, involve antibody-mediated immune reaction Allergic reactions involving the respiratory tract are L Allergic potential of the allergen and period of expos prone than others, and exposure to other irritants ma Attention should be paid to atopic diathesis, characte Exogenous allergic alveolitis is induced essentially b lymphocytes) may be involved. Such allergy is of the For HIF ((hypoxia-inducible factor) inhibitors Considering that endothelial HIF-1alpha was shown unintended consequences for ventricular adaptation haemodynamics over a short period, but a detailed f Under normoxic conditions, HIF-1alpha and HIF-2algubiquitinated, and rapidly degraded. PHD activity be induction of HIF activity. Additionally, the observation that mice with loss of PI PHD inhibitors, which are currently in development for critic acid (and its inorganic cirtate salts) Based on extensive animal testing data and on hum: cancer, birth defects or reproductive toxicity. Further, No significant acute toxicological data identified in litt	IRRITATION Not Available Ibstances - Acute toxicity 2. Value of Toxic Effect of chemical Substances as a group and may not be specific intact eczema, more rarely as urticari sytes) immune reaction of the delayers. usually due to interactions between I ure often determine the severity of s ay aggravate symptoms. Allergy cau erised by increased susceptibility to by allergen specific immune-complex a delayed type with onset up to four I to be critical for left heart adaptation in pulmonary hypertension (PH). HI functional analysis at later time point pha are hydroxylated by PHD (prolyl comes rate limited during hypoxia, a HD2 developed severe PH should ration or chronic anemia. an experience, citric acid has low aco i, it does not cause mutations. Also, to terature search. Carcinogenicity Reproductivity	to this product. a or Quincke's oedema. The pathogenesis of d type. Other allergic skin reactions, e.g. contact gE antibodies and allergens and occur rapidly. ymptoms. Some people may be genetically more sing activity is due to interactions with proteins. nasal inflammation, asthma and eczema. es of the IgG type; cell-mediated reactions (T nours following exposure. to overload, systemically targeting HIFs might have F-2 inhibition appeared to improve right ventricular s would be prudent. hydroxylase domain) proteins (particularly PHD2), illowing accumulation of HIF-1aipha/2aipha and aise a cautionary flag regarding the clinical use of ute toxicity. Citric acid is not suspected of causing he sensitizing potential is considered low.	
Water Legend: POTASSIUM IODIDE POTASSIUM CITRATE POTASSIUM CITRATE & WATER Acute Toxicity Skin Irritation/Corrosion Serious Eye Damage/Irritation	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered SL specified data extracted from RTECS - Register of 1 The following information refers to contact allergens Contact allergies quickly manifest themselves as concontact eczema involves a cell-mediated (T lymphoc urticaria, involve antibody-mediated immune reaction Allergic reactions involving the respiratory tract are u Allergic potential of the allergen and period of expos prone than others, and exposure to other irritants ma Attention should be paid to atopic diathesis, charact Exogenous allergic alveolitis is induced essentially b lymphocytes) may be involved. Such allergy is of the For HIF ((hypoxia-inducible factor) inhibitors Considering that endothelial HIF-1alpha was shown unintended consequences for venticular adaptation haemodynamics over a short period, but a detailed f Under normoxic conditions, HIF-1alpha and HIF-2algubiquitinated, and rapidly degraded. PHD activity be induction of HIF activity. Additionally, the observation that mice with loss of PI PHD inhibitors, which are currently in development ff For citric acid (and its inorganic citrate salts) Based on extensive animal testing data and on hum cancer, birth defects or reproductive toxicity. Further, No significant acute toxicological data identified in lit	IRRITATION Not Available ubstances - Acute toxicity 2. Value of Toxic Effect of chemical Substances as a group and may not be specific intact eczema, more rarely as urticari ntact eczema, more rarely as urticari exytes) immune reaction of the delayers. usually due to interactions between I ure often determine the severity of s ay aggravate symptoms. Allergy cau erised by increased susceptibility to by allergen specific immune-complex a delayed type with onset up to four I to be critical for left heart adaptation in pulmonary hypertension (PH). HI functional analysis at later time point pha are hydroxylated by PHD (prolyl iccomes rate limited during hypoxia, at HD2 developed severe PH should ra- for chronic anemia. an experience, citric acid has low act i, it does not cause mutations. Also, t terature search. Carcinogenicity Reproductivity STOT - Single Exposure	bained from manufacturer's SDS. Unless otherwise to this product. a or Quincke's oedema. The pathogenesis of d type. Other allergic skin reactions, e.g. contact gE antibodies and allergens and occur rapidly. ymptoms. Some people may be genetically more sing activity is due to interactions with proteins. nasal inflammation, asthma and eczema. es of the IgG type; cell-mediated reactions (T nours following exposure. to overload, systemically targeting HIFs might have F-2 inhibition appeared to improve right ventricular s would be prudent. hydroxylase domain) proteins (particularly PHD2), illowing accumulation of HIF-1alpha/2alpha and aise a cautionary flag regarding the clinical use of ute toxicity. Citric acid is not suspected of causing he sensitizing potential is considered low.	
water Legend: Legend: POTASSIUM IODIDE POTASSIUM CITRATE POTASSIUM CITRATE & WATER Acute Toxicity Skin Irritation/Corrosion Respiratory or Skin sensitisation	TOXICITY Oral (Rat) LD50: >90000 mg/kg ^[2] 1. Value obtained from Europe ECHA Registered SL specified data extracted from RTECS - Register of 1 The following information refers to contact allergens Contact allergies quickly manifest themselves as col contact eczema involves a cell-mediated (T lymphoc urticaria, involve antibody-mediated immune reaction Allergic reactions involving the respiratory tract are u Allergic potential of the allergen and period of expos prone than others, and exposure to other irritants ma Attention should be paid to atopic diathesis, characte Exogenous allergic alveolitis is induced essentially b lymphocytes) may be involved. Such allergy is of the For HIF ((hypoxia-inducible factor) inhibitors Considering that endothelial HIF-1alpha was shown unintended consequences for ventricular adaptation haemodynamics over a short period, but a detailed f Under normoxic conditions, HIF-1alpha and HIF-2al; ubiquitinated, and rapidly degraded. PHD activity be induction of HIF activity. Additionally, the observation that mice with loss of PI PHD inhibitors, which are currently in development ff For citric acid (and its inorganic citrate salts) Based on extensive animal testing data and on hum: cancer, birth defects or reproductive toxicity. Further, No significant acute toxicological data identified in lit	IRRITATION Not Available ubstances - Acute toxicity 2. Value of coxic Effect of chemical Substances as a group and may not be specific intact eczema, more rarely as urticari sytes) immune reaction of the delayers. usually due to interactions between Is ure often determine the severity of s ay aggravate symptoms. Allergy cau erised by increased susceptibility to by allergen specific immune-complex e delayed type with onset up to four I to be critical for left heart adaptation in pulmonary hypertension (PH). HI functional analysis at later time point pha are hydroxylated by PHD (prolyl iccomes rate limited during hypoxia, at HD2 developed severe PH should ra- for chronic anemia. an experience, citric acid has low ac i, it does not cause mutations. Also, t terature search. Carcinogenicity Reproductivity STOT - Single Exposure	balance from manufacturer's SDS. Unless otherwise to this product. a or Quincke's oedema. The pathogenesis of d type. Other allergic skin reactions, e.g. contact gE antibodies and allergens and occur rapidly. ymptoms. Some people may be genetically more sing activity is due to interactions with proteins. nasal inflammation, asthma and eczema. es of the IgG type; cell-mediated reactions (T nours following exposure. a to overload, systemically targeting HIFs might have F-2 inhibition appeared to improve right ventricular s would be prudent. hydroxylase domain) proteins (particularly PHD2), llowing accumulation of HIF-1alpha/2alpha and aise a cautionary flag regarding the clinical use of ute toxicity. Citric acid is not suspected of causing he sensitizing potential is considered low.	

SECTION 12 Ecological information

Toxicity

	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48h	Crustacea	1.27mg/l	2
potassium iodide	LC50	96h	Fish	>100mg/l	2
	EC50(ECx)	48h	Crustacea	1.27mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
potassium citrate	NOEC(ECx)	192h	Algae or other aquatic plants	425mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
water	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Extracted from Ecotox databa (Japan) - Bioco	1. IUCLID Toxicity Data 2. Europe ECHA Registe se - Aquatic Toxicity Data 5. ECETOC Aquatic Ha oncentration Data 8. Vendor Data	ered Substances - Ecotoxicological Informati zard Assessment Data 6. NITE (Japan) - Bio	on - Aquatic Toxicity oconcentration Data	4. US EPA, 7. METI

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites.

90citric

For lodine: lodine is an important element in studies of environmental protection and human health, global-scale hydrologic processes and nuclear non-proliferation. Inorganic

and organic species that may be hydrophilic, atmophilic, and biophilic. Terrestrial Fate: There was an appreciable iodate reduction to iodide, presumably mediated by the structural iron(II), in some clay minerals. Humic acid in soil promotes the electrochemical reduction of iodine(12) to ionic iodide.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient Persistence: Water/Soil		Persistence: Air
potassium iodide	HIGH	HIGH
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation		
potassium iodide	LOW (LogKOW = 0.0436)		
Mehility in soil			

woonity in son	
Ingredient	Mobility
potassium iodide	LOW (Log KOC = 14.3)

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 Containers may still present a chemical hazard/ danger when empty. Return to supplier for reuse/ recycling if possible. Otherwise: If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. Where possible retain label warnings and SDS and observe all notices pertaining to the product. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Recycling Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. DO NOT allow wash water form cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sever may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Disposa of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers.

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
potassium iodide	Not Available
potassium citrate	Not Available
water	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
potassium iodide	Not Available
potassium citrate	Not Available
water	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

potassium iodide is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4 Australian Inventory of Industrial Chemicals (AIIC)

potassium citrate is found on the following regulatory lists

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 4 Australian Inventory of Industrial Chemicals (AIIC)

water is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

Additional Regulatory Information

Not Applicable

National Inventory Status

National Inventory	Status		
Australia - AIIC / Australia Non- Industrial Use	Yes		
Canada - DSL	Yes		
Canada - NDSL	No (potassium iodide; water)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	Yes		
Japan - ENCS	Yes		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	Yes		
Vietnam - NCI	Yes		
Russia - FBEPH	Yes		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

SECTION 16 Other information

Revision Date	10/03/2023
Initial Date	17/02/2010

SDS Version Summary

Version	Date of Update	Sections Updated
4.1	01/06/2021	Toxicological information - Acute Health (eye), Toxicological information - Acute Health (inhaled), Toxicological information - Acute Health (skin), Toxicological information - Acute Health (swallowed), Physical and chemical properties - Appearance, Toxicological information - Chronic Health, Hazards identification - Classification, Disposal considerations - Disposal, Exposure controls / personal protection - Engineering Control, Ecological Information - Environmental, Firefighting measures - Fire Fighter (fire/explosion hazard), Firefighting measures - Fire Fighter (fire fighting), First Aid

Version	Date of Update	Sections Updated
		(inhaled), Handling and storage - Handling Procedure, Exposure controls / personal protection - Personal Protection (eye), Exposure controls / personal protection - Personal Protection (hands/feet), Accidental release measures - Spills (major), Accidental release measures - Spills (minor), Handling and storage - Storage (storage incompatibility), Handling and storage - Storage (storage requirement), Handling and storage - Storage (suitable container), Identification of the substance / mixture and of the company / undertaking - Supplier Information, Toxicological information - Toxicity and Irritation (Toxicity Figure), Transport information - Transport, Transport Information, Identification of the substance / mixture and of the company / undertaking - Use
5.1	10/03/2023	Classification change due to full database hazard calculation/update.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- ▶ PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL: No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection OTV: Odour Threshold Value
- BCF: BioConcentration Factors BEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- PNEC: Predicted no-effect concentration
- AIIC: Australian Inventory of Industrial Chemicals
- DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European INventory of Existing Commercial chemical Substances
 ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
 TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.